



The Original Walk-in Van

Public Utility &
Municipal Trucks



Custom designed, turn key
solutions for the Public Utility
& Municipal user



Custom Designed Public Utility & Municipal Trucks

Morgan Olson Walk-in vans are preferred by utility companies in the urban area for working out of the rear of the van for safety reasons. Walk-In vans can provide seating for up to 5 people.

- Durable long life aluminum body
- Available on chassis with a GVWR rating up to 30,000 pounds
- Available on Ford, International, Freightliner, and Workhorse stripped chassis
- Morgan Olson offers a *turn key body and upfitting* solution

Walk-In vans are used by:

- Electric companies for Underground, Sub-Station, and Cable Splicing
- Gas companies for New Service, Distribution, Fitter, and Supply
- Water departments



Safety cone holder on front bumper. Solid mount or fold down models available



12" deep steel bumper with Bustin grating and receiver hitch rated at 5,000 & 10,000 pounds



Exterior ladder brackets with vertically adjustable Eberhard spring clamp



Fold up step on rear bumper



Exterior compartments for items such as propane tanks and jack hammers



Below floor exterior compartments mounted in lower skirt

Havis Shields Kwik-raze magnafire 3000,
650 watt light heads



All lighting functions labeled with placards



Recessed side or rear wall mounted at
10 degrees



50 amp service panel with wiring
in liquid tight wire conduit



Rear roof line permanently mounted with
vertical adjustment



Interior and exterior 120V outlets



120V - 15,000 BTU Coleman and DuoTherm roof mounted air conditioners



Onan or Honda diesel and gas generators. Available as portable or
stand alone - connected to chassis fuel system.



Inverter packages designed with Fleet Gold



120V 48" fluorescent lights with dust and moisture resistant cover



1/8" aluminum diamond plate on cargo center aisle



Warning and work lights



Right hand bumper vise mount




Stirrup step on cab step well



12 volt work lights sidewall mounted



Cargo shelving packages- aluminum or steel. Cargo shelving is fastened to 11 gauge vertical steel Z-posts vs. aluminum hat sections to provide secure installation.



Cargo Sidewall Liner Options

1/2" plywood covered with .030 aluminum

1/2", 5/8", 3/4", plywood

1/2" plywood covered with white Kemlite



Other available options:

- Insulated cargo sidewalls
- (1) or (2) seats set back behind front drivers passenger seats
- Aluminum bulkhead with center sliding door
- Auxiliary diesel fired heaters in cab or cargo area



1801 South Nottawa Rd.
Sturgis, MI 49091
800.321.3758
www.morganolson.com